



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

#### 1.1 Product Identifier

**Trade Name** Abesco FP200 FR Expanding Foam  
**Description** Fire Retardant B1 Polyurethane Foam In Hand Held Aerosol Dispenser

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available

#### 1.3 Details of the supplier of the safety data sheet

**Supplier** Abesco Fire LLC  
P.O. Box 555647  
Orlando, FL 32855  
USA  
**Phone Number** 407-851-3300  
**Fax Number** 407-851-3388  
**E-mail** [ustechnical@abesco.net](mailto:ustechnical@abesco.net)

**1.4 Emergency Telephone number: Chemtrec -> 1-800-424-9300 or 1-703-527-3887 (outside USA)**

### 2. HAZARD IDENTIFICATION

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Flam. Aerosol 1	H222-H229	Extremely flammable aerosol. Pressurized container. May burst if heated.
Acute Tox. 4	H332	Harmful if inhaled.
Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
Resp. Sens. 1	H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Carc. 2	H351	Suspected of causing cancer.
STOT SE 3	H335	May cause respiratory irritation.
STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.

#### 2.2 Label elements

##### Labeling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonized System (GHS).

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### Hazard pictograms



GHS02



GHS07



GHS08

### Signal word Danger

#### Hazard-determining components of labeling:

diphenylmethanediisocyanate, isomeres and homologues

#### Hazard Statements

- H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.  
H332 Harmful if inhaled  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H317 May cause an allergic skin reaction  
H351 Suspected of causing cancer.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

#### Precautionary Statements

- P102 Keep out of the reach of children.  
P201 Obtain special instructions before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P284 In case of inadequate ventilation wear respiratory protection (a protective mask with an appropriate gas filter – i.e. type A1 according to standard EN 14387).  
P280 Wear protective gloves/protective clothing/eye protection.  
P260 Do not breathe vapors/spray.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap  
P305+351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50° C / 122° F.  
P501 Dispose of container in accordance with local/regional/national/international regulations.

#### Additional information:

Persons already sensitized to diisocyanates may develop allergic reactions when using this product. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. This product should not be used under conditions of poor ventilation unless a protective mask with appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 2.3 Other hazards

Results of PBT and vPvB assessment -> PBT: Not applicable vPvB: Not applicable

· **Classification system:**

· NFPA ratings (scale 0 - 4)

Health = 2  
Fire = 3  
Reactivity = 3



· HMIS-ratings (scale 0 - 4)

Health = 2  
Fire = 2  
Reactivity = 3

\*\* NOTE: THIS INFORMATION IS BASED ON THE PRODUCT IN THE CAN WITH THE AEROSOL. \*\*

### 3. COMPOSITION / INFORMATION ON THE COMPONENTS

#### 3.2 Chemical characterization: Mixtures

Description: Mixture of substances listed below with non-hazardous additions.

Dangerous components:	CAS	Range (%)
<b>Diphenylmethanediisocyanate, Isomeres and Homologues</b> Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319, Skin Sens. 1, H317; STOT SE 3, H335	9016-87-9	40-50%
<b>Tris(2-chlorisopropyl)-phosphate</b> Acute Tox. 4, H302	13674-84-5	5-15%
<b>Dimethyl Ether</b> Flam. Gas 1, H220; Press. Gas C, H280	115-10-6 EINECS: 204-065-8	1-12%
<b>Isobutane</b>	75-28-5	1-10%
<b>Halogenated Polyetherpolyol</b>	86675-46-9	1-5%
<b>Propane</b>	74-98-6	1-5%

Additional information: For the wording of the listed risk phrases refer to section 16.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 4. FIRST AID MEASURES

#### 4.1 General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** Immediately call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing Media

Foam, CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen cyanide (HCN)

#### 5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

**Additional information** Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated firefighting water in accordance with official regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

---

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

#### Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

##### Requirements to be met by storerooms and receptacles:

Store in a cool location. Store only in the original receptacle.

Observe official regulations on storing packaging with pressurized containers.

##### Information about storage in one common storage facility:

Store away from oxidizing agents.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

##### Further information about storage conditions:

Store in dry conditions.

Store in a cool, dry place. Heat will increase pressure and may lead to the receptacle bursting.

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

**7.3 Specific end use(s)** No further relevant information available.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Additional information about design of technical facilities:** No further data; see item 7.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 8.1 Control Parameters

<b>Ingredients with limit values that require monitoring at the workplace:</b>	
<b>9016-87-9 diphenylmethanediisocyanate, isomers and homologues</b>	
WEL	Short-Term value: 0.07 mg/m <sup>3</sup> Long-Term value 0.02 mg/m <sup>3</sup>
<b>115-10-6 dimethyl ether</b>	
WEL	Long-Term value: 1910 mg/m <sup>3</sup> , 1000 ppm

**Additional information:** The lists that were valid during the creation were used as basis.

### 8.2 Exposure Controls

#### Personal protective equipment:

#### General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

#### Respiratory Protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

##### General information

##### Appearance:

**Form:** Aerosol

**Color:** According to product specification (foam is pink on cure)

**Odor:** Characteristic (Odor Threshold: Not determined)

##### Change in condition

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** Undetermined.

**Flash point:** Not Applicable

**pH-value:** Not determined

**Ignition temperature:** 199°C (390.2° F)

**Auto igniting:** Product is not self-igniting.

**Danger of explosion:** Heating may cause an explosion.

**Relative & Vapor Density:** Not determined.

**Evaporation Rate:** Not determined.

**Solubility in / Miscibility with Water:** Not miscible or difficult to mix.

##### Solvent content:

**VOC:** 18.1 %

**9.2 Other information:** No further relevant information available.

### 10. STABILITY AND REACTIVITY

**10.1 Reactivity** – No further relevant information available.

#### 10.2 Chemical Stability

##### Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** No dangerous reactions known.

**10.4 Conditions to avoid:** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

#### 10.6 Hazardous decomposition products:

Carbon monoxide

Nitrogen oxides (NO<sub>x</sub>)

Hydrogen cyanide (prussic acid)

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------





# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

· LD/LC50 values that are relevant for classification:		
<b>CAS: 13674-84-5 tris(2-chlorisopropyl)-phosphate</b>		
Oral	LD50	3,600 mg/kg (rat)
<b>CAS: 115-10-6 dimethyl ether</b>		
Inhalative	LC50/4 h	308 mg/l (rat)
<b>CAS: 86675-46-9 Halogenated Polyetherpolyol</b>		
Oral	LD50	917 mg/kg (rat)

**Primary irritant effect:**

**Skin corrosion/irritation:** Irritant to skin and mucous membranes.

**Serious eye damage/irritation:** Irritating effect.

**Respiratory or skin sensitization:**

Sensitization possible through inhalation.

Sensitization possible through skin contact.

**Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

**CMR effects (carcinogenetic, mutagenicity and toxicity for reproduction)**

Carc. 2

- <b>IARC (International Agency for Research on Cancer)</b>		
9016-87-9	diphenylmethanediisocyanate, isomers and homologues	3
- <b>NTP (National Toxicity Program)</b>		
None of the ingredients is listed.		
- <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bio accumulative potential** No further relevant information available

**12.4 Mobility in soil** No further relevant information available

**Additional ecological information:**

General notes:

<b>ISSUE DATE</b>	January 28, 2020	<b>REVISION</b>	4	<b>REF</b>	SDS004
-------------------	------------------	-----------------	---	------------	--------





# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable

**vPvB:** Not applicable

**12.6 Other adverse affects** No further relevant information available

---

### 13. Disposal considerations

#### 13.1 Waste Treatment Methods

**Recommendation:** Must not be disposed with household garbage. Do not allow product to reach sewage system.

European waste catalogue	
08 05 01*	Waste isocyanates
16 05 04*	Gases in pressure containers (including halons) containing dangerous substances

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 14. TRANSPORT INFORMATION

<b>14.1 UN-Number</b>	
DOT	UN1950
ADR, IMDG, IATA	1950
<b>14.2 UN proper shipping name</b>	
DOT, IATA	AEROSOLS, flammable
ADR	1950 AEROSOLS
IMDG	AEROSOLS
<b>14.3 Transport hazard class(es)</b>	
DOT, IMDG, IATA	
Class	2.1
Label	2.1
ADR	
Class:	2 5F Gases
Label	2.1
<b>14.4 Packing group</b>	
ADR, DOT, IMDG, IATA	2.03
<b>14.5 Environmental hazards:</b>	
Marine pollutant:	No
<b>14.6 Special precautions for user</b> Warning: Gases	
EMS Number:	F-D,S-U
<b>14.7 Transport in bulk according to Annex II of MARPOL73/78 &amp; the IBC Code</b> Not applicable.	
<b>Transport/Additional information:</b>	
ADR	
Limited Quantities (LQ)	1l
UN "Model Regulation":	UN1950, Aerosols, 2.1

### 15. REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:** No further information available

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### 15.3 Sara

<b>- Section 355 (extremely hazardous substances):</b>	
None of the ingredient is listed.	
<b>- Section 313 (Specific toxic chemical listings):</b>	
9016-87-9	Diphenylmethanediisocyanate, isomers and homologues
<b>- TSCA (Toxic Substances Control Act):</b>	
CAS: 9016-87-9	Diphenylmethanediisocyanate, isomers and homologues
CAS: 113674-84-5	Tris(2-chlorisopropyl)-phosphate
CAS: 115-10-6	Dimethyl ether

### 15.4 Proposition 65

<b>- Chemicals known to cause cancer:</b>
None of the ingredients is listed.
<b>- Chemicals known to cause reproductive toxicity for females:</b>
None of the ingredients is listed.
<b>- Chemicals known to cause reproductive toxicity for males:</b>
None of the ingredients is listed.
<b>- Chemicals known to cause developmental toxicity:</b>
None of the ingredients is listed.

### 15.5 Carcinogenic categories

<b>- EPA (Environmental Protection Agency)</b>		
CAS: 9016-87-9	diphenylmethanediisocyanate, isomers and homologues	D;CBD
<b>- TLV (Threshold Limit Value established by ACGIH)</b>		
None of the ingredients is listed.		
<b>- NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
None of the ingredients is listed.		

- **GHS label elements**  
The product is classified and labelled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal Word** Danger
- **Hazard determining components of labelling:**  
diphenylmethanediisocyanate, isomers and homologues

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------



# Abesco FP200 FR Foam

## Safety Data Sheet according to OSHA HCS

### - Hazard Statements

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- H220 Extremely flammable gas
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

### - Precautionary Statements

- Obtain special instructions before use.
- Keep out of reach of children.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Do not spray on an open flame or other ignition source.
- Do not pierce or burn, even after use.
- In case of inadequate ventilation wear respiratory protection (a protective mask with an appropriate gas filter – i.e. type A1 according to standard EN 14387).
- Wear protective gloves / protective clothing / eye protection.
- Do not breath vapors / spray.
- IF ON SKIN: Wash with plenty of water / soap.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF exposed or concerned: Get medical advice / attention.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- Protect from sunlight. Do not expose to temperatures exceeding 50° C / 122° F.
- Dispose of container to in accordance with local / regional / national / international regulation.

- **Chemical Safety Assessment:** A Chemical Safety Assessment has not been carried out.

## 16. OTHER INFORMATION

### Abbreviations and acronyms:

- Flam. Gas 1: Flammable gases. Hazard category 1
- Flam. Aerosol 1: Flammable aerosols. Hazard category 1
- Press. Gas C: Gases under pressure. Compressed gas
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Resp. Sens. 1: Sensitization – Respiratory, Hazard Category 1
- Skin Sens. 1: Sensitization – Skin, Hazard Category 1
- Carc. 2: Carcinogenicity, Hazard Category 2
- STOT SE 3: Specific target organ toxicity – Single Exposure, Hazard Category 3
- STOT RE 2: Specific target organ toxicity – Repeated Exposure, Hazard Category 2

ISSUE DATE	January 28, 2020	REVISION	4	REF	SDS004
------------	------------------	----------	---	-----	--------